



Flute

 PURALUCE

Flute

Apparecchio LED a sospensione con alimentatore a bordo.
Corpo in Alluminio Anodizzato ed ottica in PMMA.

Indoor Pendant LED device with internal power supply. Body made of Anodized Aluminium and optic in PMMA. Available in two height, 300mm and 600mm.

Led : 3000°K (W), 4000°K (N)

Optic : 36°, 80°



finitura finishes	cod.	+	Led	+	Opt
---------------------	------	---	-----	---	-----

Flute Micro 3W (10cm) Pot. | Pow. 3W | 24VDC - 700 mA
Flus. Nom. | Tot. Eff. Lm 612 (W) | 678 (N)

Alluminio Anodizzato Argento Silver Anodized Aluminium	35570 __	W	36
Rame Protetto Ever-bright Copper	35571 __		
Alluminio Anodizzato Nero Black Anodized Aluminium	35572 __	N	80
Alluminio Anodizzato Rosso Red Anodized Aluminium	35573 __		
Alluminio Anod. Champagne Champagne Anod. Aluminium	35574 __		

Kit IP 65	35115
-----------	-------

Flute Mini 6W (30cm) Pot. | Pow. 6W | 220/240Vac
Flus. Nom. | Tot. Eff. Lm 612 (W) | 678 (N)

Alluminio Anodizzato Argento Silver Anodized Aluminium	35110 __	W	36
Rame Protetto Ever-bright Copper	35111 __		
Alluminio Anodizzato Nero Black Anodized Aluminium	35112 __	N	80
Alluminio Anodizzato Rosso Red Anodized Aluminium	35113 __		
Alluminio Anod. Champagne Champagne Anod. Aluminium	35114 __		

Kit IP 65	35115
-----------	-------


Flute Micro 3W collegamento in parallelo
Flute Micro 3W parallel connection

Alimentatore a bordo incluso
Built in driver included


kg 0,38 (flute mini) - kg 0,52 (flute maxi)

IP 44

DIMENSIONI | DIMENSIONS




SISTEMA DI FISSAGGIO | FIXING SYSTEM




INC/SP

FOTOMETRIE | PHOTOMETRIC DIAGRAMS

FLUTE MINI - 6W - 90°



FLUTE MAXI - 6W / 10W - 90°



Flute Maxi 6W (60cm) Pot. I Pow. 6W | 220/240Vac
 Flus. Nom. I Tot. Eff. Lm 612 (W) | 678 (N)

Alluminio Anodizzato Argento Silver Anodized Aluminium	35140 __	W	36
Rame Protetto I Ever-bright Copper	35141 __		
Alluminio Anodizzato Nero Black Anodized Aluminium	35142 __	+	+
Alluminio Anodizzato Rosso Red Anodized Aluminium	35143 __		
Alluminio Anod. Champagne Champagne Anod. Aluminium	35144 __		
		N	80

Kit IP 65	35115
-----------	-------

Flute Maxi 10W (60cm) Pot. I Pow. 10W | 220/240Vac
 Flus. Nom. I Tot. Eff. Lm 1120 (W) | 1356 (N)

Alluminio Anodizzato Argento Silver Anodized Aluminium	35130 __	W	36
Rame Protetto I Ever-bright Copper	35131 __		
Alluminio Anodizzato Nero Black Anodized Aluminium	35132 __	+	+
Alluminio Anodizzato Rosso Red Anodized Aluminium	35133 __		
Alluminio Anod. Champagne Champagne Anod. Aluminium	35134 __		
		N	80

Kit IP 65	35115
-----------	-------

Alimentatore a bordo incluso
 Included on board transformer

