




## Vega



**Vega** | Modern LED lighting fixture, available in square and rectangular shape. Conceived both for ceiling or wall application. The aluminium dissipating device is part of the products itself. Minimalist lighting fixture suitable in original and elegant application.

**Materials**


Coloured plexiglass and aluminium.  
Cree Led.

**Wiring**

Electronic ballast 220-240V 50-60 Hz, all components ENEC branded. Accordingly to CEI-EN 60598-1 (CEI 34-21); CEI EN 62031 (34-118), CEI EN 62471 (76-9).




# Vega




Code	Lamps Watt	Flux beam	3200 K
E816X0600 NK•BK•RK•MK	16x3	90°	

Code	Lamps Watt	Flux beam	4000 K
E816Y0600 NK•BK•RK•MK	16x3	90°	



Code	L mm
A816K1200KK	1200
A816K3000KK	3000

Suspension Kit included: 4 suspension wires. Main supply cable 3x1,5 square mm. Plastic Cover and terminal block.




Code
A816K0001KK

Fixing KIT: for ceiling or wall application.




Decorative Led lighting fixture, to be installed suspended, ceiling or wall, provided with driver.



### Colours


- N...
- B...
- R...
- M...

# Vega




Code	Lamps Watt	Flux beam	3200 K
E816X0800 NK•BK•RK•MK	16x3	90°	

Code	Lamps Watt	Flux beam	4000 K
E816Y0800 NK•BK•RK•MK	16x3	90°	



Code	L mm
A816K1200KK	1200
A816K3000KK	3000

Suspension Kit included: 4 suspension wires. Main supply cable 3x1,5 square mm. Plastic Cover and terminal block.




Code
A816K0002KK

Fixing KIT: for 110 mm ceiling or wall application.



Decorative Led lighting fixture, to be installed suspended, ceiling or wall, provided with driver.



## Colours

- N...
- B...
- R...
- M...