

# UNICA













Ellipse in bronzed borosilicate, sphere in transparent borosilicate and glossy black chromed metal. | Ellisse in borosilicato bronzato, sfera in borosilicato trasparente e metallo cromato nero lucido.

## Metal colours



CNL

Glossy black chrome  
Cromo nero lucido

	Item	Technical data	Price (vat not incl.)
	<b>LM.1010/6/CNL</b>	Chandelier with 6 horizontal lights. Glossy black chrome.  6 x G4 LED max 2 W - 12 V - 110 Lumen - 3000 K <b>(not included)</b> ENERGY CLASS FROM A TO A++  IP20 CE   	
	<b>PN.1010/6/CNL</b>	Hanging floor lamp with 6 lights. Glossy black chrome.  6 x G4 LED max 2 W - 12 V - 110 Lumen - 3000 K <b>(not included)</b> ENERGY CLASS FROM A TO A++  IP20 CE   	
	<b>SS.1010/CNL</b>	Hanging lamp without canopy. Glossy black chrome.  G4 LED max 2 W - 12 V - 110 Lumen - 3000 K <b>(not included)</b> ENERGY CLASS FROM A TO A++  IP20 CE   	




**LT.1010/CNL**

1-light table lamp with power supply on plug, on/off.  
Glossy black chrome.

G4 LED max 2 W - 12 V - 110 Lumen - 3000 K  
**(not included)**  
ENERGY CLASS FROM A TO A++

**IP20** CE




**AP.1010/CNL**

1-light wall lamp with remote power supply **(not included)**.  
Glossy black chrome.

G4 LED max 2 W - 12 V - 110 Lumen - 3000 K  
**(not included)**  
ENERGY CLASS FROM A TO A++

**IP20** CE




**AP.1010/CNL/T**

1-light wall lamp with power supply.  
Glossy black chrome.

G4 LED max 2 W - 12 V - 110 Lumen - 3000 K  
**(not included)**  
ENERGY CLASS FROM A TO A++

**IP20** CE



**AP.1010/1/CNL/T**

1-light wall lamp with arm and power supply.  
Glossy black chrome.

G4 LED max 2 W - 12 V - 110 Lumen - 3000 K  
**(not included)**  
ENERGY CLASS FROM A TO A++

**IP20** CE




Ø 125

**RS1.1010/CNL**

Canopy 1 light with power supply.  
Glossy black chromed.

POWER SUPPLY 4 W - 12 V




Ø 250

**RS12.1009/CNL**

Canopy for a maximum of 12 lights with power supply.  
Glossy black chromed.

POWER SUPPLY 25 W - 12 V



H 26

Ø 16

**DC.1010/CNL**

Decentraliser.  
Glossy black chromed metal.

## ACCESSORIES UNICA

**AL4.1010**

Optional power supply.

4 W  
12 V

**AL25.1010**

Optional power supply.


25 W  
12 V


**LP.1010**

Optional Led bulb


G4 - LED 2 W - 12 V - 110 Lumen - 3000 K  
ENERGY CLASS FROM A TO A++


## ITA - italiano

 I fisionarte II UNICA


 Diese Leuchte ist geeignet für Leuchtmittel der Energieklassen


A++  
A+  
A  
~~B~~  
~~C~~  
~~D~~  
~~E~~




874/2012 


## EN - english

 I fisionarte II UNICA


 Diese Leuchte ist geeignet für Leuchtmittel der Energieklassen


A++  
A+  
A  
~~B~~  
~~C~~  
~~D~~  
~~E~~




874/2012 


## FR - français

 I fisionarte II UNICA


 Cette lampe est adaptée pour les lampes des classes d'énergie


A++  
A+  
A  
~~B~~  
~~C~~  
~~D~~  
~~E~~




874/2012 


## ESP - español

 I fisionarte II UNICA


 Esta lámpara es adecuada para los tipos de lámparas de las clases de energía


A++  
A+  
A  
~~B~~  
~~C~~  
~~D~~  
~~E~~




874/2012 

## DE - deutsch

 I fisionarte II UNICA

 Diese Leuchte ist geeignet für Leuchtmittel der Energieklassen

A++  
A+  
A  
~~B~~  
~~C~~  
~~D~~  
~~E~~



874/2012 